### 6079743848**RECEIVED CENTRAL FAX CENTER** JUL 1 8 2005

### FOR DISCUSSION PURPOSES ONLY

ATTORNEY DOCKET NO.: SP03-091

#### In the Claims

1. (Currently amended) A porous substrate comprising: a support; and an inorganic porous region on a surface of said support, the inorganic porous region having a surface capable of immobilizing probe molecules, the inorganic porous region having a tint and exhibits a reduced level of auto-fluorescence of at least about 15% relative to a comparable non-tinted porous substrate surface,

> wherein said tint comprises at least one of Co<sub>3</sub>O<sub>4</sub> or NiO, alone or in combination.

- 2. (Previously amended) The porous substrate according to claim 1, wherein said porous region having a tint that reduces relative auto-fluorescence levels by at least about 20% over said non-tinted porous substrate surface.
- 3. (Original) The porous substrate according to claim 2, wherein said porous region having a tint that reduces relative auto-fluorescence levels by at least about 50% over said non-tinted porous substrate surface.
- 4. (Cancelled)
- 5. (Original) The porous substrate according to claim 1, wherein said reduction in auto-fluorescence is over a wavelength range from about 400 nm to about 720 nm.
- 6. (Cancelled)
- 7. (Original) The porous substrate according to claim 1, wherein said tinted porous region has a colorant component including a transition metal ion.

### FOR DISCUSSION PURPOSES ONLY

ATTORNEY DOCKET NO.: SP03-091

8. (Currently amended) The porous substrate according to claim 1, wherein porous substrate consists essentially of:

Oxide	. wt. %
SiO <sub>2</sub>	53-67
$Al_2O_3$	3-10
$B_2O_3$	12-24
K <sub>2</sub> O	0-5
MgO	0-2
CaO	0.5-3
SrO	0-3
BaO	2-7
Sb <sub>2</sub> O <sub>3</sub>	0-2

and said tint includes at least one of Co<sub>3</sub>O<sub>4</sub> and NiO wherein said tinted inorganie porous region has a colorant component incorporated in the following a composition in weight percent comprising at least one of the following either individually or in combination:

Co <sub>3</sub> O <sub>4</sub>	0.1-9
NiO	0.1-10

and

wherein R is a transition metal, and x and y are each > 0.

- 9. (Currently amended) The porous substrate according to claim 268, wherein said R is selected from the group consisting of Fe, V, and Cu.
- 10. (Currently amended) The porous substrate according to claim 1, wherein said inorganic porous region has a composition consisting essentially of:

Oxide	wt. %
SiO <sub>2</sub>	55-65

## FOR DISCUSSION PURPOSES ONLY ATTORNEY DOCKET NO.: SP03-091

$A1_2O_3$	4-9
$B_2O_3$	14-21
K <sub>2</sub> O	1-5
MgO	0.1-2
CaO	1-2.5
SrO	0.5-1.75
BaO	3-5
$Sb_2O_3$	0-2
$R_xO_y$	<u>0-2</u>

and said tint including at least one of Co<sub>3</sub>O<sub>4</sub> and NiO in the following weight percent:

$Co_3O_4$	<u>0.1-8</u>
NiO	0.1-10

wherein R is a transition metal selected from the group consisting of Fe, V, and Cu, and x and y are each  $\geq \geq 0$ .

wherein said tinted inorganic porous region has a colorant component incorporated in a composition in weight percent comprising at least one of the following, either individually or in combination:

- 11. (Previously amended) The porous substrate according to claim 8, wherein said glass composition has a coefficient of thermal expansion (CTE) of between about  $35-44 \times 10^{-7}$ /°C.
- 12. (Original) The porous substrate according to claim 11, wherein said glass composition has a CTE of about  $38-40 \times 10^{-7}$ °C.
- 13. (Previously amended) The porous substrate according to claim 1, wherein said tinted region has an average auto-fluorescence background for Cy3 and Cy5 channels of up to about 50% RFU of said un-tinted porous substrate.

### FOR DISCUSSION PURPOSES ONLY

ATTORNEY DOCKET NO.: SP03-091

- 14. (Original) The porous substrate according to claim 1, wherein a number of biological or chemical probes are attached at defined locations on or within said tinted porous layer.
- 15. (Original) The porous substrate according to claim 13, wherein said defined locations of probes assume a microarray format of at least one microspot per cm<sup>2</sup>.
- 16. (Original) The porous substrate according to claim 13, wherein said defined locations of probes assume a microarray format of at least 10 microspots per cm<sup>2</sup>.
- 17. (Original) The porous substrate according to claim 1, wherein said probe molecules include at least one kind of species selected from the following: oligonucleotides, nucleotides, nucleosides, DNA, RNA, peptide nucleic acid (PNA), peptides, polypeptides, protein domains, proteins, fusion proteins, antibodies, protein-membranes, G-coupled protein receptors, gangliosides, lipids, lipid membranes, cells or cell membranes, cell-lysate, or protein-small molecule ligands.
- 18. (Previously amended) A tool for performing biological or chemical assays, the tool comprises a non-porous support; and an inorganic porous region on a surface of said support, the inorganic porous region having a surface capable of immobilizing probe molecules, the inorganic porous region having a tint and exhibits a reduced level of auto-fluorescence of at least about 15% relative to a comparable non-tinted porous substrate surface,

wherein said tint comprises at least one of Co<sub>3</sub>O<sub>4</sub> or NiO, alone or in combination.

### FOR DISCUSSION PURPOSES ONLY

ATTORNEY DOCKET NO.: SP03-091

- 19. (Previously amended) The tool according to claim 18, wherein said porous region having a tint that reduces relative auto-fluorescence levels by at least about 20% over said non-tinted porous substrate surface.
- 20. (Original) The tool according to claim 18, wherein said tinted porous region has a colorant component including a transition metal ion.
- 21. (Currently amended) The tool according to claim 18, wherein said inorganic porous region consists essentially of:

Oxide	wt. %
SiO <sub>2</sub>	53-67
$Al_2O_3$	3-10
$B_2O_3$	12-24
$K_2O$	0-5
MgQ	. 0-2
CaO	0.5-3
SrO	0-3
BaO	2-7
$Sb_2O_3$	0-2
$\underline{\mathbf{R}}_{\mathbf{x}}\underline{\mathbf{O}}_{\mathbf{y}}$	0-10

wherein said tinted porous region has a colorant component incorporated in a composition in weight percent comprising and at least one of Co<sub>3</sub>O<sub>4</sub> and NiO in the following weight percent:

the following either individually or in combination

Co <sub>3</sub> O <sub>4</sub>	0.1-9
NiO	0.1-10

and

 $R_y \Theta_y$  0-10

wherein R is a transition metal, and x and y are each > 0.

# FOR DISCUSSION PURPOSES ONLY ATTORNEY DOCKET NO.: SP03-091

- 22. (Original) The tool according to claim 21, wherein said R is selected from the group consisting of Fe, V, and Cu.
- 23. (Original) The tool according to claim 18, wherein said probe molecules are biological or chemical molecules, including at least one kind of the following: oligonucleotides, nucleotides, nucleosides, DNA, RNA, peptide nucleic acid (PNA), peptides, polypeptides, protein domains, proteins, fusion proteins, antibodies, gangliosides, membrane proteins, lipids, lipid membranes, cellular membranes, cell lysates, oligosaccharides, or polysaccharides, or lectins.
- 24. (Currently amended) The porous substrate according to claim 1, said porous region further comprising pores having pore sizes greater of about then 50.5 μm.
- 25. (Currently amended) The tool according to claim 18, wherein said porous region has pore sizes greater between about then 0.5  $\mu$ m to about 1.0  $\mu$ m.
- 26. (New) The porous substrate according to claim 8, further comprising a transition metal R alone or in oxide composition  $R_xO_y$  wherein x and y are each > 0.